

NOTES:

- 1.0 MATERIALS:
 - 1.1 COUPLING NUT & HOUSINGS:
STAINLESS STEEL PER ASTM-A582, TYPE 303.
 - 1.2 CENTER CONTACT: BERYLLIUM COPPER ROD
ALLOY C172, PER ASTM-B196.


- 2.0 PLATING:
 - 2.1 COUPLING NUT & HOUSINGS:
PASSIVATED PER MIL-F-14072 & QQ-P-35.
 - 2.2 CENTER CONTACT: GOLD PER MIL-G-45204,
TYPE II, CLASS 2

3.0 MARKING: MARK UNIT AS SHOWN
(REF.: INK-08266-27-02)

OPN-2184-MC-NNN-02
OPEN

THE WORD "OPEN"
SHOULD BE AS BIG
& AS BOLD AS POSSIBLE

4.0 DIMENSIONS IN PARENTHESIS ARE IN
MILLIMETERS.



UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 3 PLACE DECIMALS ±.005 2 PLACE DECIMALS ±.02 FRACTIONS ±1/64 PARALLELITY: T.I.R. _____ FLATNESS: T.I.R. _____ CONCENTRICITY: T.I.R. _____ ANGLES AND PERPENDICULARITY: ±1°	FSCM NO. 34078	MIDWEST MICROWAVE	
	NOTICE: The information contained in this drawing is proprietary and must not be used without the permission of Midwest Microwave		TITLE TYPE N PLUG OPEN CIRCUIT TERMINATION
	DRAWN/DATE S.ORLOV 1/3/06	ENG./DATE G.KOZAK 1/4/06	DRAWING NUMBER OPN-2184-MC-NNN-02
	CHECKED/DATE	APPROVED/DATE	SCALE: 3=1 SHEET 1 of 1

DATE	1/4/06
DESCRIPTION	RELEASED
REV.	-